

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**




Figure 1




Figure 2

300




Figure 3





Figure 4

Core Competencies

Service Provider
<ul style="list-style-type: none"> • New customer acquisitions • New customer segmentation strategy • Strategic technology mgmt • Technology life cycle management • New service offerings

502

- Network is planned based on a capability, (i.e. capacity and features)



New Business Relationships

Service Provider
<ul style="list-style-type: none"> • Provide an open access channel for new service offerings from the manufacturer • Move to a focus on platform release strategy in line with service offerings

506

- Availability of sites is synchronized with the network roll out
- Joint optimization of network assets

Manufacturer
<ul style="list-style-type: none"> • Focus on managing the customer relationship • Focus on managing production capacity • Focus on R & D • Focus on market coverage roll out

504

Manufacturer
<ul style="list-style-type: none"> • Gain the potential to reposition the network as a platform for their solutions pipeline • The ability for the manufacturer to build strategic alliances with solution integrators becomes a critical differentiator

508

Figure 5




Figure 6

700

RECEIVING INFORMATION FROM AT LEAST ONE SERVICE PROVIDER UTILIZING A NETWORK, WHEREIN THE INFORMATION OF THE AT LEAST ONE SERVICE PROVIDER INCLUDES INFORMATION RELATING TO THE SERVICE PROVIDED BY THE SERVICE PROVIDER

702

RECEIVING INFORMATION FROM AT LEAST ONE MANUFACTURER UTILIZING THE NETWORK, WHEREIN THE INFORMATION OF THE MANUFACTURER INCLUDES INFORMATION RELATING TO MANUFACTURER OFFERINGS

704

MATCHING THE SERVICE TO THE MANUFACTURER OFFERINGS

706

UTILIZING THE SERVICE AND MANUFACTURER OFFERINGS INFORMATION TO MANAGE INSTALLATIONS

708

Figure 7

800




Figure 8

900




Figure 9

1000




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 18




Figure 19




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28

MSB											LSB					
BITS 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15																
WORD 00	CR ID					CD ID										
01	TP1 BITS 0-15															
02	TP1 BITS 16-31															
03	TP3 BITS 0-12												TP6 0-2			
04	TP6 BITS 3-12									TP7 BITS 0-5						
05	TP7 BITS 6-21															
06	OPL. ORIGINATING PORT 0-15															
07	OP	TPL. TERMINATING PORT 0-14														
08	TP	OTG. ORIGINATING TRUNK GROUP												TT		
09	TERMINAGING TRUNK GROUP (1-12)												TP3Q			
10	TP6Q	ACTION CODE					OTC				TTC					
11	ID1			ID2			ANI INDEX									
12	CLI 1			CLI 2			CLI 3				CLI 4					
13	CLI 5			CLI 6			CLI 7				CLI 8					
14	CLI 9			CLI 10			A1				A2					
15	A3			A4			A5				A6					
16	A7			A8			A9				A10					
17	A11			A12			A13				A14					
18	A15			A16			A17				A18					
19	A19			A20			A21				A22					
20	D1			D2			D3				D4					
21	D5			D6			D7				D8					
22	D9			D10			D11				D12					
23	D13			D14			D15				D16					
24	D17			PTD1			PTD2				PTD3					
25	PTD4			PTD5			PTD6				PTD7					
26	PTD8			PTD9			PTD10									
27	FC			TMC			KAT				TP7Q					
28	EC, ENTRY CODE					PD			ND ID			DIVID				
29	D0		CC	IN		SC	CD	DE	DT			SA	NOCLI			
30	CN1			CN2			CN3				CN4					
31	ACIF			SS7 RELEASE CODE							NCIDSEQ		NL	RS		
BIT 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15																

Figure 29

MSB																LSB					
BITS		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15				
WORD	00	CR ID						CD ID													
	01	TP1 BITS 0-15																			
	02	TP1 BITS 16-31																			
	03	TP3 BITS 0-12												TP6 0-2							
	04	TP6 BITS 3-12										TP7 BITS 0-5									
	05	TP7 BITS 6-21																			
	06	OPL. ORIGINATING PORT 0-15																			
	07	OP	TPL. TERMINATING PORT 0-14																		
	08	TP	OTG. ORIGINATING TRUNK GROUP													TT					
	09	TERMINAGING TRUNK GROUP (1-12)												TP3Q							
	10	TP6Q	ACTION CODE						OTC				TTC								
	11	ID1				ID2				ANI INDEX											
	12	CLI 1				CLI 2				CLI 3				CLI 4							
	13	CLI 5				CLI 6				CLI 7				CLI 8							
	14	CLI 9				CLI 10				CLI11				CLI12							
	15	CLI13				CLI14				CLI15				A1							
	16	A2				A3				A4				A5							
	17	A6				A7				A8				A9							
	18	A10				A11				A12				A13							
	19	A14				A15				A16				A17							
	20	A18				A19				A20				A21							
	21	A22				A23				A24				A25							
	22	A26				A27				A28				A29							
	23	A30				A31				A32				A33							
	24	A34				A35				A36				A37							
	25	A38				A39				A40				A41							
	26	A42				A43				A44				A45							
	27	FC				TMC				KAT				TP7Q							
	28	EC, ENTRY CODE						PD				ND ID				DIVID					
	29	D0	MN	CC	IN		SC	CD	DE	DT			SA	NOCLI							
	30	CN1				CN2				CN3				CN4							
31	ACIF				SS7 RELEASE CODE								NCIDSEQ				NL	RS			
BIT		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15				

Figure 30

MSB										LSB							
BITS		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
WORD	32																
	33																
	34	ID1				ID2				ID3				ID4			
	35	ID5				ID6				ID7				ID8			
	36	ID9				ID10				ID11				ID12			
	37	ID13				ID14				ID15				ID16			
	38	ID17				ID18				ID19				ID20			
	39	ID21				ID22				ID23				ID24			
	40	ID25				PTD1				PTD2				PTD3			
	41	PTD4				PTD5				PTD6				PTD7			
	42	PTD8				PTD9				PTD10				PTD11			
	43	PTD12				PTD13				PTD14				PTD15			
	44	EIR CALL TYPE								OVFAL						CB	
	45	OVFCL				DTA 1				DTA 2				DTA 3			
	46	DTA 4				DTA 5				DTA 6				DTA 7			
	47	DTA 8				DTA 9				DTA 10				DTA 11			
	48	DTA 12				DTA 13				DTA 14				DTA 15			
	49	OVFC						DTAC								NCID	
	50	NETWORK CALL IDENTIFIER (NCID)															
	51	NETWORK CALL IDENTIFIER (NCID)															
	52	NETWORK CALL IDENTIFIER (NCID)															
	53	NETWORK CALL IDENTIFIER (NCID)															
	54	NETWORK CALL IDENTIFIER (NCID)															
	55																
	56																
	57																
	58																
	59													OUS TYPE		OUIE	
	60	OUIE COUNT CONT.												OVFCS			
	61	ORIGINATING NX64 BITMAP (1-16)															
	62	ORIG NX64 BITMAP(17-24)								TERM NX64 BITMAP(17-24)							
	63	TERMINATING NX64 BITMAP(9-24)															
BIT		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15

Figure 31

MSB										LSB									
BITS		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15		
WORD	00	CR ID								CD ID									
	01	TP1 BITS 0-15																	
	02	TP1 BITS 16-31																	
	03	TP4 BITS 0-12												TP6 0-2					
	04	TP6 BITS 3-12										TP7 BITS 0-5							
	05	TP7 BITS 6-21																	
	06	OPL. ORIGINATING PORT 0-15																	
	07	OP	TPL. TERMINATING PORT 0-14																
	08	TP	OTG. ORIGINATING TRUNK GROUP												TT				
	09	TERMINAGING TRUNK GROUP (1-12)												TP3Q					
	10	TP6Q	ACTION CODE						OTC				TTC						
	11	ID1				ID2				ONACC				TNACC					
	12	CLI 1				CLI 2				CLI 3				CLI 4					
	13	CLI 5				CLI 6				CLI 7				CLI 8					
	14	CLI 9				CLI 10				A1				A2					
	15	A3				A4				A5				A6					
	16	A7				A8				A9				A10					
	17	A11				A12				A13				A14					
	18	A15				A16				A17				A18					
	19	A19				A20				A21				A22					
	20	D1				D2				D3				D4					
	21	D5				D6				D7				D8					
	22	D9				D10				D11				D12					
	23	D13				D14				D15				D16					
	24	D17				OPIN													
	25	OPIN			TPS BITS 0-12														
	26	RN1				RN2				RN3				RN4					
	27	FC				TMC				KAT				TP7Q					
	28	EC, ENTRY CODE								PD			ND ID			DIVID			
	29	D0		CC	IN		SC	CD	DE	DT	PP	XC	SA	NOCLI					
	30	CN1				CN2				CN3				CN4					
	31	ACIF				SS7 RELEASE CODE								NCIDSEQ			NL	RS	
BITS		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15		

MSB																LSB															
BITS																00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
WORD	00	CR ID										CD ID																			
	01	TP1 BITS 0-15																													
	02	TP1 BITS 16-31																													
	03	TP4 BITS 0-12												TP6 0-2																	
	04	TP6 BITS 3-12										TP7 BITS 0-5																			
	05	TP7 BITS 6-21																													
	06	OPL. ORIGINATING PORT 0-15																													
	07	OP	TPL. TERMINATING PORT 0-14																												
	08	TP	OTG. ORIGINATING TRUNK GROUP												TT																
	09	TERMINAGING TRUNK GROUP (1-12)												TP3Q																	
	10	TP6Q	ACTION CODE						OTC				TTC																		
	11	ID1				ID2				ONACC				TNACC																	
	12	CLI 1				CLI 2				CLI 3				CLI 4																	
	13	CLI 5				CLI 6				CLI 7				CLI 8																	
	14	CLI 9				CLI 10				CLI 11				CLI 12																	
	15	CLI 13				CLI 14				CLI 15				A1																	
	16	A2				A3				A4				A5																	
	17	A6				A7				A8				A9																	
	18	A10				A11				A12				A13																	
	19	A14				A15				A16				A17																	
	20	A18				A19				A20				A21																	
	21	A22				A23				A24				A25																	
	22	A26				A27				A28				A29																	
	23	A30				A31				A32				A33																	
	24	A34				A35				A36				A37																	
	25	A38				A39				A40				A41																	
	26	A42				A43				A44				A45																	
	27	FC				TNC				KAT				TF7Q																	
	28	EC, ENTRY CODE										PD			ND ID			DIVID													
	29	DO	MM	CC	IN		SC	CD	DE	DT	PP	XC	SA	NOCLI																	
	30	CN1				CN2				CN3				CN4																	
	31	ACIF				SS7 RELEASE CODE								NCIDSEQ			NL	RS													
BITS																00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
EOSR/EOSR FORMAT																															

Figure 33

MSB										LSB						
BITS	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
32	T&C GUEST 1								T&C GUEST 2							
33	T&C GUEST 3								T&C GUEST 4							
34	ID1				ID2				ID3				ID4			
35	ID5				ID6				ID7				ID8			
36	ID9				ID10				ID11				ID12			
37	ID13				ID14				ID15				ID16			
38	ID17				ID18				ID19				ID20			
39	ID21				ID22				ID23				ID24			
40	ID25				PTD1				PTD2				PTD3			
41	PTD4				PTD5				PTD6				PTD7			
42	PTD8				PTD9				PTD10				PTD11			
43	PTD12				PTD13				PTD14				PTD15			
44	EIR CALL TYPE								OVFAL						CB	
45	OVFCL				DTA 1				DTA 2				DTA 3			
46	DTA 4				DTA 5				DTA 6				DTA 7			
47	DTA 8				DTA 9				DTA 10				DTA 11			
48	DTA 12				DTA 13				DTA 14				DTA 15			
49	OVFC						DTAC								NCID	
50	NETWORK CALL IDENTIFIER (NCID)															
51	NETWORK CALL IDENTIFIER (NCID)															
52	NETWORK CALL IDENTIFIER (NCID)															
53	NETWORK CALL IDENTIFIER (NCID)															
54	NETWORK CALL IDENTIFIER (NCID)															
55	T&C ROOM 1								T&C ROOM 2							
56	T&C ROOM 3								T&C ROOM 4							
57	T&C ROOM 5								T&C ROOM 6							
58	EAC1				EAC2				EAC3				EAC4			
59	EAC5				EAC6				EAC7				EAC8			
60	EAC9				EAC10				EAC11				EAC12			
61	OPIN													OVFCS		
62	TP5-OPERATOR RELEASE															
63	RN1				RN2				RN3				RN4			
BIT	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15

Figure 34

MSB										LSB						
BIT	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
WORD 00	CR ID				SYNC WORD (MINUS 2, OCTAL 7776)											
01	CDID, CALL DISCONNECT I.D. NUMBER (0-15)															
02	CDID, CALL DISCONNECT I.D. NUMBER (16-31)															
03	SWID 1				SWID 2				SWID 3							
04	ST-SWITCH TYPE						EQ-EVENT QUALIFIER									
05	SERIT-SER EVENT TIME (0-15)															
06	SERIT-SER EVENT TIME (16-31)															
07					FCDID-FIRST RECORD CDID (12 LSAs)											
08					LCDID-LAST RECORD CDID (12 LSAs)											
09					NCDID-NEXT RECORD CDID (12 LSAs)											
10	NBSN-NEMAS BLOCK SEQUENCE NUMBER															
11	PT-PREVIOUS TIME (0-15)															
12	PT-PREVIOUS TIME (16-31)															
13	SI	TIME OFFSET														
14																
15																
16	SOFTWARE LOAD ID1						SOFTWARE LOAD ID2									
17	SOFTWARE LOAD ID3						SOFTWARE LOAD ID4									
18	SOFTWARE LOAD ID5						SOFTWARE LOAD ID6									
19	LAST PATCHS/PR RLS1						LAST PATCHS/PR RLS2									
20	QCDR				QSCDR											
21	QPMR				QSPMR											
22	QOSR				QSOSR											
23	QPOSR				QSPOSR											
24	QSER				CNP											
25	CDR THROTTLE START TIME (0-15)															
26	CDR THROTTLE START TIME (16-31)															
27	CDR THROTTLE STOP TIME (0-15)															
28	CDR THROTTLE STOP TIME (16-31)															
29													FORMAT VER.			
30	THROTTLE COUNT (0-15)															
31	THROTTLE COUNT (16-31)															
BIT	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15

Figure 35




Figure 36




Figure 37




Figure 38




Figure 39




Figure 40




Figure 41




Figure 42




Figure 43




Figure 44




Figure 45

4600




Figure 46

4700




Figure 47




Figure 48

4900




Figure 49

5000




Figure 50

5100




Figure 51

5200

**Identify Patterns and Correlations
in System Data**

5202

**Build a Model of a Behavior of the
Network Based on the Patterns
and Correlations**

5204

**Predict Future Behavior of the
of the Network Based on the Model**

5206

**Manage the Network Based on the
Predicted Future Behavior of the
Network**

5208

Figure 52




Figure 53




Figure 54





Figure 55



5404

Figure 56




Figure 57

ANALYZING USER REQUIREMENTS

5802

REVIEWING AVAILABLE PRODUCTS

5804

GENERATING AT LEAST ONE RECOMMENDED SOLUTION BASED ON THE USER
REQUIREMENTS

5806

DISPLAYING THE AT LEAST ONE RECOMMENDED SOLUTION

5808

ACCEPTING PAYMENT IN EXCHANGE FOR THE AT LEAST ONE SOLUTION

Figure 58

5810




Figure 59

5806




Figure 60




Figure 61






Figure 62

6103








Figure 65

6408




Figure 66




Figure 67




Figure 68




Figure 69

6810




Figure 70





Figure 71



7100

Figure 72




Figure 73





Figure 74



7406 ↗

Figure 75




Figure 76

5314




Figure 77

5316




Figure 78

5318




Figure 79






Figure 80

5324




5812

Figure 81




5326

Figure 82




5328

Figure 83



5330

Figure 84



5332

Figure 85




Figure 86




Figure 87




Figure 88




Figure 89




Figure 90




Figure 91

9200




Figure 92




Figure 93




Figure 95

9400




Figure 94




Figure 96




Figure 97




Figure 98




Figure 99




Figure 100




Figure 101




Figure 102




Figure 103




Figure 105

10400




Figure 104




Figure 106




Figure 108




Figure 107




Figure 109

9012




Figure 110

9014




Figure 111

11200




Figure 112




Figure 113




Figure 114




Figure 115




Figure 116




Figure 117




Figure 118




Figure 119




Figure 120




Figure 121




Figure 122

12300




Figure 123




Figure 124




Figure 125




Figure 126

Bandwidth Market




Figure 127




Figure 128




Figure 129




Figure 130




Figure 131




Figure 132

Bandwidth Contract Flow




Figure 133




Figure 134




Figure 135




Figure 136

TO EXECUTE
ROUTINE




Figure 137




Figure 138

FIG. 139 is a flowchart illustrating a method for calculating a weighted average cost (AVCST) and a weighted average price (PR) for a security. The flowchart starts at node A and proceeds to decision 13900. If the position (POS) is less than zero, the flow proceeds to decision 13902. If the position is greater than or equal to zero, the flow proceeds to process 13908. If the position is less than zero and the transaction is a buy (B/S? = BUY), the flow proceeds to process 13904. If the position is less than zero and the transaction is a sell (B/S? = SELL), the flow proceeds to process 13906. If the position is greater than or equal to zero, the flow proceeds to process 13910. All paths converge at node B.




Figure 139




Figure 140




Figure 141




Figure 142




Figure 143